



SAFETY DATA SHEET

PRO Rapid Strip

Professional coating and film stripper

Document information	Value
Issued by	Seal 'n Lock System Corp.
Issuer / responsible party	Seal 'n Lock System Corp.
Issue date	August 19, 2026
Version	Version 1.0
Emergency telephone	1-800-222-1222 (Poison Control Center)

SECTION 1 - PRODUCT AND COMPANY IDENTIFICATION

1.1 Product identifier

Product name: Rapid Strip

Product Code: Rapid Strip

Synonym(s): Solvent/surfactant blend

1.2 Relevant identified uses of the substance or mixture and uses advised against

General use: Paint, coating and film stripper

Uses advised against: None specified

1.3 Details of the issuer and responsible party

Seal 'n Lock System Corp.

2401 Destiny Way

Odessa, FL 33556 USA

813-852-1500

1.4 Emergency telephone number

1-800-222-1222 (Poison Control Center)

SECTION 2 - HAZARDS IDENTIFICATION

2.1 Classification of substance or mixture

Product definition: Mixture

Classification in accordance with 29 CFR 1910.1200 (OSHA HCS) and Regulation EC No. 1272/2008

Flammable Liquid - Category 4 [H227]

Skin Irritation - Category 2 [H315]

Skin Sensitizer - Category 1 [H317]

Serious Eye Damage - Category 1 [H318]

Aquatic Toxicity, Chronic - Category 3 [H412]



2.2 Label elements

Hazard symbol(s):

GHS05 GHS07

Signal word: Danger

Hazard statement(s): H227 - Combustible liquid

H315 - Causes skin irritation

H317 - May cause allergic skin reaction

H318 - Causes serious eye damage

H412 - Harmful to aquatic life with long lasting effects

Precautionary statements

[Prevention] P210 - Keep away from heat, hot surfaces, sparks, open flames and other sources of ignition. No smoking

P261 - Avoid breathing aerosol, mist or spray.

P264 + P265 - Wash hands and other exposed skin areas thoroughly after handling. Do not touch eyes.

P272 - Contaminated work clothing should not be allowed out of the workplace.

P273 - Avoid release to the environment.

P280 - Wear protective gloves, protective clothing and eye protection.

[Response] P302 + P352 - IF ON SKIN: Wash with plenty of water or shower.

P305 + P354 + P338 + P317 - IF IN EYES: Immediately rinse with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical help.

P321 - Specific treatment: Get medical help if you feel unwell. Refer to the product label or Section 4 of this SDS.

P333 + P337 + P317 - If skin irritation or rash occurs: Get medical help.

P362 + H364 - Take off contaminated clothing and wash it before reuse.

P370 + P378 - In case of fire: Use water fog or spray, foam, dry chemical or carbon dioxide for extinction.

[Storage] P403 - Store in a well-ventilated place.

[Disposal] P501 - Dispose of contents and container in accordance with national and local regulations.

2.3 Hazards not otherwise classified (HNOC) or not covered by GHS

None as defined by 29 CFR 1900.1200.

2.4 Unknown acute toxicity (US)

No data available

SECTION 3 - COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

Not applicable

3.2 Mixtures

% by Weight Ingredient CAS Number EC Number Index Number GHS Classification

< 45 Benzyl alcohol 100-51-6 202-859-9 607-057-00-5 H302, H317, H319

< 40 Biosolvent blend Proprietary -----

< 15 Isopropylcumene 25321-09-9 246-835-6 ----- H315, H413



< 10 Hydrocarbons, terpene processing, by-product 68956-56-9 273-309-3 ----- H226, H304, H315, H317, H319, H411
 < 10 Surfactant blend Proprietary ----- H302, H318, H411
 <8 Glycol ether Proprietary ----- H302, H318, H335
 <8 Formic acid 64-18-6 200-579-1 607-001-00-0 H226, H290, H302, H314, H318, H331

There are no additional ingredients present in this product which, within the current knowledge of the issuer and in the concentrations applicable,

are classified as hazardous to health or the environment and hence require reporting in this section.

SECTION 4 - FIRST AID MEASURES

4.1 Description of first aid measures

Inhalation: If product mist or spray causes respiratory irritation or distress, move the exposed person to fresh air immediately. If breathing is

difficult or irregular, administer oxygen; if respiratory arrest occurs, start artificial respiration by trained personnel. If unconscious, maintain an open

airway. Loosen tight clothing such as a collar, tie, belt or waistband. If symptoms persist or if you feel unwell, get medical attention.

Eyes: Immediately flush eyes with large amounts of water or saline solution for at least 15 minutes, occasionally lifting the upper and lower lids.

Remove contact lenses, if present and easy to do, after first 2 minutes and continue rinsing. Get immediate medical help for chemical burns. If

irritation persists get medical attention, preferably from an ophthalmologist.

Skin: Flush skin with large amounts of water while removing contaminated clothing. Wash the affected area with soap and water followed by

thorough rinsing. Wash contaminated clothing and shoes before reuse. If irritation persists or if you feel unwell, get medical help.

Ingestion: Rinse mouth with water if the person is conscious. Remove dentures if present. DO NOT induce vomiting unless directed to do so by

medical personnel. Vomiting may occur spontaneously. To prevent aspiration of material into the lungs, lay the person on one side with the head

lower than the waist. Never give anything by mouth to an unconscious or convulsing person. Do not leave the person unattended. Get immediate

medical help.

4.2 Most important symptoms and effects, both acute and delayed

Potential health symptoms and effects

Eyes: Causes severe eye irritation and serious eye damage. Symptoms may include inflammation, swelling, tearing and pain. Prolonged eye

contact may cause burns, vision impairment or eye damage. Mist or spray may cause eye irritation.

Skin: Causes skin irritation with localized redness itching and discomfort. Prolonged or repeated contact may cause defatting of the skin or

dermatitis. May cause an allergic skin reaction in sensitive individuals.

Inhalation: May cause respiratory irritation with headache, nasal irritation, cough and shortness of breath. Prolonged or repeated exposure may

cause an allergic respiratory reaction with asthma-like symptoms.



Ingestion: Harmful if swallowed. Causes irritation of the digestive tract with nausea, vomiting, abdominal pain and diarrhea. This material can get

into the lungs during swallowing or vomiting causing lung inflammation and chemical pneumonitis, which may be fatal. Symptoms of aspiration into

the lungs include coughing, gasping, choking, shortness of breath, bluish colored skin, rapid breathing and rapid heart rate.

Chronic: Chronic skin exposure may cause defatting of the skin, dermatitis or aggravate existing skin conditions. May cause an allergic skin

reaction or sensitization dermatitis, particularly in individuals previously sensitized to formaldehyde. Prolonged or repeated exposure may cause

occupational asthma or other airway reactions.

4.3 Indication of any immediate medical attention and special treatment needed

Advice to doctor and hospital personnel

Treat symptomatically and supportively.

SECTION 5 - FIRE FIGHTING MEASURES

5.1 Extinguishing media

Suitable methods of extinction: Use extinguishing media suitable for the surrounding fire.

Unsuitable methods of extinction: Water jets or streams may spread the fire.

5.2 Special hazards arising from the substance or mixture

Combustible liquid! Vapors are heavier than air and can travel along the ground to a source of ignition and flash back. Vapors can spread along the

ground and collect in low or confined areas. Closed containers may rupture due to the buildup of pressure when exposed to extreme heat. During

emergency conditions overexposure to decomposition products may cause a health hazard. Symptoms may not be immediately apparent or may be

delayed. Obtain medical attention.

Explosion hazards: Vapor may form an explosive mixture with air.

5.3 Advice to firefighters

Firefighters should wear full bunker gear including NIOSH-approved positive pressure self-contained breathing apparatus to protect against potential

hazardous combustion or decomposition products and oxygen deficiencies. Water may be used to cool closed containers to prevent pressure

buildup and possible autoignition or explosion when exposed to extreme heat. If possible, firefighters should control runoff to prevent environmental

contamination. Notify appropriate authorities of potential fire and explosion hazard if liquid enters sewers or waterways.

SECTION 6 - ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Evacuate non-essential personnel. Wear appropriate protective clothing and equipment designated in Section 8.2. Ventilate the area. Remove all

sources of ignition. NO SMOKING. Clean up spills immediately. Spill creates a slip hazard.



6.2 Environmental precautions

Avoid dispersal of spilled material or runoff and prevent contact with soil and entry into drains, sewers or waterways. Use water sparingly to

minimize environmental contamination and reduce disposal requirements.

6.3 Methods and materials for containment and cleaning up

Approach spill from upwind direction. DO NOT FLUSH SPILL DOWN THE DRAIN. Cover drains and contain spill. Cover with a large quantity of

inert absorbent. Do not use combustible absorbents such as sawdust. Collect product using non-sparking tools and place into approved container

for proper disposal. Observe possible material restrictions (Sections 7.1 and 10.5). Clean contaminated area via appropriate method for product

removal. Do not allow material or runoff from rinsing contaminated areas to enter floor drains or storm drains and ditches that lead to waterways.

Dispose of contents, containers and waste material via a licensed waste disposal contractor.

If spilled on water remove with appropriate methods (e.g., skimming, booms or absorbents). In case of soil contamination, remove contaminated soil

for remediation or disposal in accordance with local regulations.

In the USA spills of material which could reach surface waters must be reported to the United States Coast Guard National Response Center at

(800) 424-8802 or (202) 426-2675.

6.4 Reference to other sections

See Section 13 for additional waste treatment information.

SECTION 7 - HANDLING AND STORAGE

7.1 Precautions for safe handling

Wear all appropriate personal protective equipment specified in Section 8.2. Do not get in eyes or on skin or clothing. NO SMOKING. Do not inhale

vapor or mist. If normal use of material presents a respiratory hazard, use only adequate ventilation or wear an appropriate respirator. Wash

contaminated clothing and shoes thoroughly after use. Contaminated clothing should not be allowed out of the workplace.

Advice on protection against fire and explosion

Avoid heat, hot surfaces and sources of ignition.

7.2 Conditions for safe storage, including any incompatibilities

Store in dry, well-ventilated areas away from incompatible materials (see Section 10.5), food and drink. Keep away from heat and ignition sources.

Do not store in direct sunlight. Keep from freezing. Transfer only to approved containers having correct labeling. Keep container tightly closed

when not in use. Protect containers from physical damage. Containers that have been opened must be carefully resealed and kept upright to

prevent leakage. Containers are hazardous when empty as they contain product residues. Use appropriate containment to avoid environmental



contamination. Ventilate closed areas. Keep locked up and out of reach of children.

7.3 Specific end uses

Apart from the uses mentioned in Section 1.2, no other specific uses are stipulated.

SECTION 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION

8.1 Control parameters

Occupational exposure limit values

CAS Number Ingredient OSHA PEL ACGIH TLV NIOSH

64-18-6 Formic acid 5 ppm, 9 mg/m³ TWA 5 ppm, 10 mg/m³ STEL 5 ppm; 9 mg/m³ TWA; 30 ppm IDLH

8.2 Exposure controls

Engineering measures: Technical measures and appropriate working operations should be given priority over the use of personal protective

equipment. Use adequate ventilation. Local exhaust is preferable. Refer to Section 7.1.

Individual protection measures: Wear protective clothing to prevent repeated or prolonged contact with product. Protective clothing needs to be

selected specifically for the workplace, depending on concentrations and quantities of hazardous substances handled. The chemical resistance of

the protective equipment should be enquired at the representative supplier.

Hygiene measures: Facilities storing or using this material should be equipped with an eyewash station and safety shower. Change contaminated

clothing. Preventive skin protection is recommended. Wash hands thoroughly after use, before eating, drinking, smoking or using the lavatory.

Eyeface protection: Wear safety glasses with unperforated side shields or chemical splash goggles during use. Wear a face shield if splashing is

anticipated during use.

Hand protection: Wear gloves recommended by glove supplier for protection against materials in Section 3. Gloves should be impermeable to

chemicals and oil. Breakthrough time of selected gloves must be greater than the intended use period. It is recommended that gloves be changed

often.

Skin protection: Wear protective clothing. Wear protective boots if the situation requires.

Respiratory protection: Always use an approved respirator when vapor/aerosols exceed permissible exposure limits. Where risk assessment

shows air-purifying respirators are appropriate use a half-mask respirator with multi-purpose combination (US) or type ABEK (EN 14387) respirator

cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use

respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU). Follow OSHA

respirator regulations found in 29 CFR 1910.134 or European Standard EN 149.

Environmental exposure controls: Do not empty into drains.



PPE must not be considered a long-term solution to exposure control. PPE usage must be accompanied by employer programs to properly select, maintain, clean, fit and use. Consult a competent industrial hygiene resource to determine hazard potential and/or the PPE manufacturers to ensure adequate protection

SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Appearance Clear, orange liquid
Odor Characteristic, fruity
Odor Threshold No data available
Molecular Weight Not applicable
Chemical Formula Not applicable
pH 4.0 ± 0.2
Freezing/Melting Point No data available
Initial Boiling Point $100\text{ }^{\circ}\text{C}$ ($212\text{ }^{\circ}\text{F}$)
Evaporation Rate No data available
Flammability (solid, gas) Not applicable
Flash Point $\geq 63.9\text{ }^{\circ}\text{C}$ ($\geq 147\text{ }^{\circ}\text{F}$), PMCC [ASTM D-93]
Autoignition Temperature No data available
Decomposition Temperature No data available
Lower Explosive Limit (LEL) No data available
Upper Explosive Limit (UEL) No data available
Vapor Pressure No data available
Vapor Density No data available
Density $1.008\text{ g/ml} \pm 0.05$ ($8.413\text{ lb/gal} \pm 0.42$) [calculated]
Viscosity, Dynamic $320\text{ cSt @ } 40\text{ }^{\circ}\text{C}$ [ASTM D4212-16]
Solubility in Water No data available
Partition Coefficient (n-octanol/water) No data available
Oxidizing Properties Not applicable
Explosive Properties Not applicable
% Volatiles 97.5% by wt. [calculated]
VOC @ $21\text{ }^{\circ}\text{C}$ - EPA Method 24 79.2% by weight (industrial/business use) [calculated]
VOC @ $21\text{ }^{\circ}\text{C}$ - CARB 4.5% by weight (consumer use) [calculated]

9.2 Other Data

Particle Characteristics Not applicable



SECTION 10 - STABILITY AND REACTIVITY

10.1 Reactivity

No special reactivity has been reported during normal conditions of handling and use.

10.2 Chemical Stability

This material is stable under recommended conditions of storage and handling.

10.3 Possibility of hazardous reactions

Vapor may form explosive mixtures in air. Hazardous polymerization will not occur.

10.4 Conditions to avoid

Avoid temperature extremes, sources of ignition, hot surfaces and contact with incompatible materials.

10.5 Incompatible materials

Strong oxidizing agents

10.6 Hazardous decomposition products

Thermal decomposition products may include oxides of carbon.

SECTION 11 - TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Acute oral toxicity

LD50, rat: 2,083 mg/kg [calculated ATE]

Acute inhalation toxicity

No data available

Acute dermal toxicity

LD50, rabbit: 2,754 mg/kg [calculated ATE]

Skin irritation

Causes skin irritation.

Eye irritation

Causes severe eye irritation and serious eye damage.

Sensitization

May cause an allergic skin reaction and sensitization; may cause allergic respiratory reaction with asthma-like symptoms.

Carcinogenicity

No data available

Germ cell mutagenicity

No data available

Reproductive toxicity

No data available

Specific organ toxicity - single exposure

May cause respiratory irritation.



Specific organ toxicity - repeated exposure

No data available

Aspiration hazard

No data available

11.2 Further information

This product contains no substances present at levels greater than or equal to the 0.1% threshold (de minimis) that are identified as a probable,

possible, potential or confirmed carcinogens by ACGIH, IARC, NTP or OSHA. No data is available regarding the mutagenicity or teratogenicity of

this product.

Handle in accordance with good industrial hygiene and safety practice.

SECTION 12 - ECOLOGICAL INFORMATION

12.1 Toxicity

This material is harmful to aquatic life with long lasting effects.

12.2 Persistence and degradability

This material is expected to be readily biodegradable.

12.3 Bioaccumulation potential

Terpene hydrocarbons have the potential to bioaccumulate.

12.4 Mobility in soil

Terpene hydrocarbons absorb to soil and have low mobility.

12.5 Results of PBT and vPvB assessment

This mixture contains no substances considered to be either persistent, bioaccumulative and toxic (PBT) or very persistent and very

bioaccumulative (vPvB) at levels of 0.1% or higher

12.6 Endocrine disrupting properties

This mixture does not contain substances considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission

Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

12.7 Other effects

Additional ecological information

Do not allow material to enter surface waters, wastewater or soil.

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.



SECTION 13 - DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Methods of disposal: The generation of waste should be avoided or minimized whenever possible. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe way. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Disposal of this product, solutions and any by-products should always comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers.

RCRA U-Series: Formic Acid (CAS #64-18-6), U123

SECTION 14 - TRANSPORT INFORMATION

Note: Transportation information provided is for reference only. Customer is urged to consult 49 CFR 100 - 177, IMDG, IATA, EC, United Nations TDG, and WHMIS (Canada) TDG information manuals for detailed regulations and exceptions covering specific container sizes, packaging materials and methods of shipping.

The flash point of this material is estimated to be 63.9 °C (147 °F).

DOT: May be reclassified as not regulated for transport in non-bulk packages having a maximum capacity less than or equal to 450 liters (119 gallons).

USA DOT (Ground Transportation) - Bulk

Proper Shipping Name Combustible liquid, n.o.s. (Terpene hydrocarbons) Placard(s)

Hazard Class 3

NA NA1993

Packing Group III

NAERG Guide #128

Packaging Authorization Non-bulk: 49 CFR 173.203; Bulk: 173.241

Packaging Exceptions 49 CFR 173.150

TGD (Transportation of Dangerous Goods) Not regulated for transport

IMO/IMDG (Water Transportation) Not regulated for transport (Consult IMO regulations before transporting ocean bulk.)

ICAO/IATA (Air Transportation) Not regulated for transport

RID/ADR (Rail Transportation) Not regulated for transport

SECTION 15 - REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for substance or mixture

U. S. Federal Regulations

OSHA Hazard Communication Standard: This material is classified as hazardous in accordance with OSHA 29 CFR 1910.1200.



OSHA Process Safety Management Standard: This product is not regulated under OSHA PSM Standard 29 CFR 1910.119.

EPA Risk Management Planning Standard: This product is not regulated under EPA RMP Standard (RMP) 40 CFR Part 68.

EPA Federal Insecticide, Fungicide and Rodenticide Act: This product is not a registered Pesticide under the FIFRA, 40 CFR Part 150.

EPA Safe Drinking Water Act (SDWA): This substance is not regulated under the SWDA.

Toxic Substance Control Act (TSCA) Inventory: All substances in this product are listed on the TSCA Inventory. This product is not subject to

TSCA 12(b) Export Notification.

TSCA Section 5(a)(2) Significant New Use Rule (SNUR) for Existing Chemicals: This substance is not subject to a Significant New Use Rule.

Drug Enforcement Administration (DEA) List 2, Essential Chemicals (21 CFR 1310.02(b)) and 1310.4(f)(2)) and Chemical Code Number

No listings

Drug Enforcement Administration (DEA) Lists 1 & 2, Exempt Chemical Mixtures (21 CFR 1310.12(c)) and Code Number: No listings

Department of Homeland Security (DHS) Chemical Facility Anti-Terrorism Standards (CFATS) Chemicals: No listings
Superfund Amendments and Reauthorization Act (SARA)

SARA Section 311/312 Hazard Categories

Flammable liquid and vapor Causes skin irritation and serious eye damage

May be harmful if swallowed and enters airways May cause allergic skin reaction

SARA 313 Information: Formic Acid is subject to the reporting requirements of Section 313 of the Emergency Planning and Community Right-to

Know Act of 1986.

SARA 302/304 Extremely Hazardous Substance: None of the components of this product exceed the threshold (de minimis) reporting levels

established by these sections of Title III of SARA.

SARA 302/304 Emergency Planning & Notification: None of the components of this product exceed the threshold (de minimis) reporting levels

established by these sections of Title III of SARA.

Comprehensive Response Compensation and Liability Act (CERCLA): This product contains the following CERCLA reportable substance:

Formic Acid (CAS #64-18-6): RQ = 2,267.96 kg (5,000 lb)

Clean Air Act (CAA)

This product does not contain any hazardous air pollutants (HAPs) designated in CAA Section 112 (b).

This product does not contain Class 1 or Class 2 ozone depleters.

Clean Water Act (CWA)

Formic Acid and Glycol Ethers (EDF-109) are hazardous substances.

This product does not contain priority pollutants.

This product does not contain toxic pollutants.

U.S. State Regulations

California Prop 65, Safe Drinking Water and Toxic Enforcement Act of 1986



This product contains no chemical(s) known to the state of California to cause cancer, birth defects or reproductive harm in concentrations that

exceed the threshold (de minimis) reporting levels established under Proposition 65.

Other U.S. State Inventories

Benzyl Alcohol (CAS #100-51-6) is listed on the following State Hazardous Substance Inventories, Right-to-Know lists and/or Air Quality/Air

Pollutants lists: PA.

Formic Acid (CAS #64-18-6) is listed on the following State Hazardous Substance Inventories, Right-to-Know lists and/or Air Quality/Air Pollutants

lists: CA, DE, ID, ME, MA, MN, NJ, NY, PA, RI, WA.

Canada

WHMIS Hazard Classification

Flammable liquid and vapor Causes skin irritation and serious eye damage

May be harmful if swallowed and enters airways May cause allergic skin reaction

Canadian National Pollutant Release Inventory (NPRI): Formic Acid and Terpenes (all isomers) are listed on the NPRI.

European Economic Community

WGK, Germany (Water danger/protection): 2 (obviously hazardous to water)

Global Chemical Inventory Lists

Country Inventory Name Listed

Canada Domestic Substance List (DSL) Yes

Canada Non-Domestic Substance List (NDSL) No

Europe Inventory of New and Existing Chemicals (EINECS) Yes

United States Toxic Substance Control Act (TSCA) Yes

Australia Australian Inventory of Chemical Substances (AICS) Yes

New Zealand New Zealand Inventory of Chemicals (NZIoC) Yes

China Inventory of Existing Chemical Substances in China (IECSC) Yes

Japan Inventory of Existing and New Chemical Substances (ENCS) Yes

Korea Existing Chemicals List (KECI) Yes

Philippines Philippines Inventory of Chemicals and Chemical Substances (PICCS) Yes

*Yes - All components of this product comply with the inventory requirements administered by the governing country.

No - One or more components of this product are not on the inventory or are exempt from listing or will require registration.

15.2 Chemical safety assessment

A chemical safety assessment was not carried out for this product.

SECTION 16 - OTHER INFORMATION

Hazardous Material Information System (HMIS) National Fire Protection Association (NFPA)

HMIS Hazard Rating Legend

Flammability

3 0 = Minimal, 1 = Slight, 2 = Moderate,

3 = Serious, 4 = Severe

2



* = Chronic Health Hazard 2

0 NFPA Hazard Rating Legend

0 = Insignificant, 1 = Slight, 2 = Moderate,

Health 3 0 Instability

C

3 = High, 4 = Extreme

C = safety glasses, gloves

& apron

Special

Abbreviation Key

ACGIH American Conference of Governmental Industrial Hygienists LDLo Lowest Lethal Dose

ADR Accord Dangereux Routier (European regulations concerning the mppcf Millions of Particles Per Cubic Foot international transport of dangerous goods by road)

CAS Chemical Abstract Services NA North America

CFR Code of Federal Regulations NAERG North American Emergency Response Guide Book

COC Cleveland Open Cup NIOSH National Institute for Occupational Safety & Health

DOT Department of Transportation NTP National Toxicology Program

EC50 Half maximal effective concentration OSHA Occupational Safety and Health Administration

EMS Emergency Response Procedures for Ships Carrying Dangerous PBT Persistent, Bioaccumulating and Toxic Guide

EPA Goods

Environmental Protection Agency PEL Permissible exposure limit

ErC50 Reduction of Growth Rate PMCC Pensky-Martens Closed Cup

ERG Emergency Response Guide Book ppm Parts Per Million

FDA Food and Drug Administration RCRA Resource Conservation and Recovery Act

GHS Globally Harmonized System of Classification and Labelling of RID Dangerous Goods by Rail Chemicals (GHS)

HCS Hazard Communication Standard RQ Reportable Quantity

IARC International Agency for Research on Cancer TCC/Tag Tagliabue Closed Cup

IATA International Air Transport Association TLV Threshold Limit Value

IC50 Half Maximal Inhibitory Concentration TSCA Toxic Substance Control Act

ICAO International Civil Aviation Organization TWA Time-weighted Average

IDLH Immediately Dangerous to Life and Health UN United Nations

IMDG International Maritime Dangerous Goods VOC Volatile Organic Compounds

IMO International Maritime Organization vPvB Very Persistent and Very Bioaccumulating

LC50 50% Lethal Concentration WHMIS Workplace Hazardous Materials Information System

LD50 50% Lethal Dose

DISCLAIMER OF RESPONSIBILITY

The information herein is given in good faith and is believed to be accurate and correct; however, no warranty, expressed or implied, is made. Seal 'n Lock System Corp.



assumes no responsibility for personal injury or property damage that may arise from the use of this material since the conditions of handling and use are beyond our control. It is the responsibility of the user to comply with all Federal, State and local laws and regulations

regarding use of this product. Vendees or users assume all risks associated with the use of this material.

Issue date: August 19, 2026 | Version 1.0